



## Panel 26 - Headline Report

18 December 2018

This Headline Report provides a record of the decisions made by the Panel.

### 1. Draft Recommendation Report: CPW041: G reads removal governance

The Panel considered a change proposal to clarify that system generated reads can be removed and set out a mechanism to do so. Two solutions were detailed in the report: the proposed solution which sought to use existing market codes governance and the alternative solution which would introduce new governance specific for G read removal.

The Panel unanimously:

- **AGREED** to recommend implementation of the proposed solution of CPW041 to the Authority for approval
- **AGREED** that the implementation of CPW041 needs to be accompanied by robust G read removal monitoring and reporting processes from MOSL
- **AGREED** the recommended implementation date of:
  - 22 February 2019 if Authority approval is received by 25 January 2019; or
  - 29 March 2019 if Authority approval is received by 1 March 2019.

### 2. Draft Recommendation Report: CPW049 & CPM012: Operational Performance Standards Charges

The Panel considered a change proposal that sought to amend the Operational Performance Standards framework. The purpose of this change proposal was to provide greater standardisation of reporting and introduce charging for underperformance.

The Panel unanimously:

- **AGREED** to recommend implementation of CPW049 & CPM012 to the Authority for approval; and
- **AGREED** the recommended implementation date of 1 April 2019, if Authority approval is received by 29 March 2019.



### 3. Draft Recommendation Report: CPW050: Changes to the Long Unread Meters Report

The Panel considered a change proposal that sought to amend the long unread meters report to include additional metering information at meters identified as 'long unread'. The intended objective of this change proposal was to assist trading parties in their rectification activities.

The Panel unanimously:

- **AGREED** to recommend CPW050 to the Authority for approval; and
- **AGREED** the recommended implementation date of:
  - 8 November 2019 or earlier, if Authority decision is received by 30 April 2019; and
  - MOSL to investigate possibility of implementing before November 2019

### 4. Draft Recommendation Report: CPW051: Market Incident Management Plan Amendments

The Panel considered a change proposal that sought to align the market code requirements specified in CSD 0007 with the implementation of the Central Market Operating System. The purpose of this change proposal was to comply with business continuity requirements and support ISO 22301 accreditation.

The Panel unanimously:

- **DEFERRED** recommending the implementation of CPW051 to the Authority for approval; and
- **AGREED** that section 4.2.3 of CSD0007 should be reworded to better reflect CMOS capability rather than removed.